

JCM Tools And Accessories

JCM MASTER WRENCHES

JCM Master Wrenches are designed for simple, quick use for installing all types of pipe fittings and fabrications. By incorporating specific design points, JCM Wrenches eliminate problems such as missing sockets, bottoming out on long bolts and not having the right size socket.

All JCM Master Wrenches offer these important field advantages.

- Two common sizes on each wrench.
- Works on long bolts without bottoming out.
- Nuts can be spun tight with knurled socket.
- No complex reverse mechanism - just flip over.
- Easily cleaned without disassembly.
- No loose parts.

CATALOG NUMBER	SOCKET SIZE	NOMINAL NUT SIZE	FITS PRODUCTS	LENGTH	CARTON QTY.	WT. PER CARTON (LBS.)
901	1-1/4" X 1-1/16"	3/4" & 5/8" HH	M.J. BOLTS, CLAMPS, TAPPING SLEEVES	17"	10	20
902	7/8" X 3/4"	1/2" & 7/16" HH	SMALL BOLTED COUPLINGS, CLAMPS	9-1/4"	10	5-1/2
903	3/4" X 11/16"	7/16" & 3/8" HH	PATCH CLAMPS	9-1/4"	10	5-1/2
904	1-1/8" X 15/16"	3/4" & 5/8" STD. HEX	FLANGE BOLTS, EQUIPMENT	17"	10	20



JCM 900 Master Wrench Set

The JCM 900 Master Wrench Set includes all four JCM wrenches 901, 902, 903, 904 packed in a vinyl rolled case for easy storage. The **900 Master Wrench Set Lists 10% LESS** than if all four wrenches were purchased separately. A real savings!



CATALOG NUMBER	INCLUDES WRENCH MODELS	CARTON QTY.	WT. PER CARTON (LBS.)
900	901, 902, 903, 904	1	20

NEW Tools from JCM

JCM 905 Torque Wrench

DESIGNED FOR FIELD USE

Knurled Grip provides a rugged No-Slip Grip that allows continual pull on the wrench during tighten process. Manual wrench allows for more accurate levels or torque to be achieved.

1/2" Standard Drive* accepts any 1/2" standard square socket.

Audible Torque Indicator provides "click" sound that provides immediate confirmation the proper torque level has been met. Audible click eliminates the necessity of watching or protecting fragile dials and pointers.

Reverse Action Lever make use simple, the same motion both tightens and loosens with just a flip of the lever.

No Handles to Align. One strong hand eases use, especially in harsh environments and inclement weather.

The JCM 905 Torque Wrench is the newest addition to our fine line of wrenches. Designed for field use conditions, the JCM 905 is equipped with an "audible torque indicator" that provides immediate confirmation that the correct level of torque has been applied. The simple, one handle design with a reverse action lever makes installation and adjustments of bolted fittings fast, simple and accurate.

*Sockets not included.



The JCM 905 comes with its own storage case to protect the wrench when not in use.

The JCM 905 meets the Federal Specification GGG-W-00686C and is delivered calibrated with an accuracy of $\pm 4\%$.

Adjusts from 10 - 150 Ft. Lbs. - accommodates most common pipe fitting installation torque level recommendations.

CATALOG NO.
905 Torque Wrench
910 Socket Set

JCM 910 Extra Deep Socket Set

Available from JCM this four piece deep socket set includes the popular 1/2" drive sockets sizes 15/16", 1-1/16", 1-1/8", 1-1/4" with a plastic storage case to protect and store sockets when not in use.



JCM 906 Universal Hydrant Wrench

New from JCM the 906 Universal Hydrant Wrench. This adjustable hydrant wrench accommodates pentagon nuts up to 1-3/4" and square nuts through 1-1/4". Complete with 3/4" through hole and lug style spanners, the JCM 906 fits both pin and lug style couplings.

The JCM 906 handle is 7/8" in diameter and has a knurled grip making it easy to use when wearing gloves and resistant to slippage. The 15" long steel handle provides for maximum leverage. Zinc chromate plated.



CATALOG NO.
906 Universal Hydrant Wrench

JCM 920 Pipe O.D. Tape

This popular tape has a 8' blade which has standard inches on the reverse from the diameter in 100ths. This reversed blade allows a quick and accurate measurement of the diameter or circumference of the pipe.

CATALOG NUMBER	DESCRIPTION
920	8' Pipe Diameter Tape - 8' Length

